

CLEVIOS™ FOR ORGANIC AND PEROVSKITE SOLAR CELLS



Innovative Materials for Organic and Perovskite Solar Cells

Heraeus offers Clevios™ conductive polymers for organic solar cell (OPV) and Perovskite applications:

All materials provide flexibility combined with low cost processing from solution by coating or printing. Organic solar cells – in contrast to their inorganic silicon counter-parts – are lightweight and portable, highly flexible, colorful and aesthetic. They can be recycled, have a low carbon footprint, and can be made transparent. Manifold new products and applications are being developed at the moment, for example building integrated photovoltaics (BIPV), portable or wearable chargers, indoor light harvesting, automotive, consumer electronics etc.


The new perovskite solar cell technology requires waterless hole-transport layers and Heraeus has developed new dedicated solvent-based PEDOT Dispersion Clevios™ HTL Solar 4 that can be directly coated on the Perovskite layer.

Product	Conductivity / Resistivity	Description
Clevios™ HTL Solar	0,1–1 S/cm	hole extraction / transport layer
Clevios™ F HC Solar	> 500 S/cm	high conductive type
Clevios™ HY E	10–100 Ohm/sq	low resistive transparent electrode
Clevios™ HTL Solar 4	1–1k Ω·cm	for perovskite, anisole, non-acidic

Innovative Materials for Organic and Perovskite Solar Cells


Hole transport layer (HTL)

“Hole transport” layer (HTL) materials, improving the solar cell performance, ready to apply by slot-die coating. Clevios™ HTL Solar is applicable in both standard and inverted type organic solar cell architectures, exhibiting good wetting and coating properties on most active layer materials. Solvent-based, waterless Clevios™ HTL Solar 4 can be coated on perovskite active layers.




Hybrid transparent electrode

“Hybrid transparent electrode” materials, are new development products for low resistive transparent electrodes with high workfunction and hole-extraction properties. Clevios™ HY E combines PEDOT/PSS with AgNW and can be coated as single layer directly on active layers.



Transparent electrode

“Transparent electrode” materials, to replace ITO or to use as top electrode in semi-transparent OPV cells, e.g. in combination with printed silver busbars. Clevios™ F HC Solar can be coated as single layer hole-extraction electrode directly on active layers. It facilitates manufacturing processes and can help to reduce overall solar cell costs.



The conditions of your use and application of our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations, are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis at least must include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by Heraeus. All information is given without warranty or guarantee. It is expressly understood and agreed that the customer assumes and hereby expressly releases

Heraeus from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance and information. Any statement or recommendation not contained herein is unauthorized and shall not bind Heraeus. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent. Properties of the products referred to herein shall as general rule not be classed as information on the properties of the item for sale. In case of order please refer to issue number of the respective product data sheet. All deliveries are based on the latest issue of the product data sheet and the latest version of our General Conditions of Sale and Delivery.

Heraeus Epurio GmbH

Building B202, Chempark
51368 Leverkusen, Germany
clevios@heraeus.com
www.clevios.com | www.heraeus.com

